

Стеклянный трубчатый уровнемер ULG

Технические характеристики


По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Калининград (4012)72-03-81	Омск (3812)21-46-40	Сыктывкар (8212)25-95-17
Ангарск (3955)60-70-56	Калуга (4842)92-23-67	Орел (4862)44-53-42	Тамбов (4752)50-40-97
Архангельск (8182)63-90-72	Кемерово (3842)65-04-62	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Астрахань (8512)99-46-04	Киров (8332)68-02-04	Пенза (8412)22-31-16	Тольятти (8482)63-91-07
Барнаул (3852)73-04-60	Коломна (4966)23-41-49	Петрозаводск (8142)55-98-37	Томск (3822)98-41-53
Белгород (4722)40-23-64	Кострома (4942)77-07-48	Псков (8112)59-10-37	Тула (4872)33-79-87
Благовещенск (4162)22-76-07	Краснодар (861)203-40-90	Пермь (342)205-81-47	Тюмень (3452)66-21-18
Брянск (4832)59-03-52	Красноярск (391)204-63-61	Ростов-на-Дону (863)308-18-15	Ульяновск (8422)24-23-59
Владивосток (423)249-28-31	Курск (4712)77-13-04	Рязань (4912)46-61-64	Улан-Удэ (3012)59-97-51
Владикавказ (8672)28-90-48	Курган (3522)50-90-47	Самара (846)206-03-16	Уфа (347)229-48-12
Владимир (4922)49-43-18	Липецк (4742)52-20-81	Саранск (8342)22-96-24	Хабаровск (4212)92-98-04
Волгоград (844)278-03-48	Магнитогорск (3519)55-03-13	Санкт-Петербург (812)309-46-40	Чебоксары (8352)28-53-07
Вологда (8172)26-41-59	Москва (495)268-04-70	Саратов (845)249-38-78	Челябинск (351)202-03-61
Воронеж (473)204-51-73	Мурманск (8152)59-64-93	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Екатеринбург (343)384-55-89	Набережные Челны (8552)20-53-41	Симферополь (3652)67-13-56	Чита (3022)38-34-83
Иваново (4932)77-34-06	Нижний Новгород (831)429-08-12	Смоленск (4812)29-41-54	Якутск (4112)23-90-97
Ижевск (3412)26-03-58	Новокузнецк (3843)20-46-81	Сочи (862)225-72-31	Ярославль (4852)69-52-93
Иркутск (395)279-98-46	Ноябрьск (3496)41-32-12	Ставрополь (8652)20-65-13	
Казань (843)206-01-48	Новосибирск (383)227-86-73	Сургут (3462)77-98-35	
Россия +7(495)268-04-70	Киргизия +996(312)-96-26-47	Казахстан +7(7172)727-132	

ULG BI-COLOR Glass Tube Level Guage

Summary

ULG-S double color quartz glass tube level gauge is designed according to light refraction and reflection principle. The glass tube shows green when there is liquid in it, while it shows red when there is air in it. It is an ideal on-site indicating instrument.



Technical Parameters

Range(Mounting centre distance L): 500mm, 800mm, 1100mm, 1400mm, 1700mm

Visual range: H=L-300 (ULG-S1) ; H=L (ULG-S4) .

Nominal pressure: $\leq 6.3\text{MPa}$

Medium temperature for level: $-50^{\circ}\text{C} \sim +450^{\circ}\text{C}$.

Medium temperature for interface level: $-50^{\circ}\text{C} \sim +100^{\circ}\text{C}$.

Interface medium density: $\rho_1 > 0.92\text{g/cm}^3$; $\rho_2 < 0.9\text{g/cm}^3$.

Heating steam pressure: $\leq 1.0\text{MPa}$.

Heating steam jacket joints: R1/2 (male thread) or on request.

Wetted material: 20, 304, 316 or on request.

Non- wetted material: Carbon steel.

Self-close pressure of needle valve : $\geq 0.3\text{MPa}$.

Flush and drain outlet: R1/2 (female thread).

Flange: HG/T20592-2009, HG/T20615-2009 or on request

Model Selection Table

Model	Code		Contents
ULG-S			Double color quartz glass tube level gauge
	1		Side-mounted with valves
	2		Side-mounted without valves
	3		Top-mounted
	4		Side-mounted with valves no blind zone
	5		Side-mounted without valves no blind zone
	T		Wetted material: Carbon steel
	H		Wetted material: 304
	R		Wetted material: 316/316L
	W		With heating


				D	Without heating
				Y	Level measurement
				J	Interface measurement
ULG-S	☐	☐	☐	☐	

Example


ULG-S1TWY is ULG-S Double color quartz glass tube level gauge, Side-mounted with valves, wetted material: carbon steel, with heating for level measurement.

Outline and installation


See figure below for structural form and dimensions




Drawing 1 ULG-S1




Drawing 2 ULG-S2



Drawing 3 ULG-S3



Drawing 4 ULG-S4



Drawing 5 ULG-S5

Ordering Information

- Model and specification
- Distance between flanges' center
- Medium
- Operating pressure
- Operating temperature
- Flange standard
- Wetted material
- Other special requirements

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Калининград (4012)72-03-81	Омск (3812)21-46-40	Сыктывкар (8212)25-95-17
Ангарск (3955)60-70-56	Калуга (4842)92-23-67	Орел (4862)44-53-42	Тамбов (4752)50-40-97
Архангельск (8182)63-90-72	Кемерово (3842)65-04-62	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Астрахань (8512)99-46-04	Киров (8332)68-02-04	Пенза (8412)22-31-16	Тольятти (8482)63-91-07
Барнаул (3852)73-04-60	Коломна (4966)23-41-49	Петрозаводск (8142)55-98-37	Томск (3822)98-41-53
Белгород (4722)40-23-64	Кострома (4942)77-07-48	Псков (8112)59-10-37	Тула (4872)33-79-87
Благовещенск (4162)22-76-07	Краснодар (861)203-40-90	Пермь (342)205-81-47	Тюмень (3452)66-21-18
Брянск (4832)59-03-52	Красноярск (391)204-63-61	Ростов-на-Дону (863)308-18-15	Ульяновск (8422)24-23-59
Владивосток (423)249-28-31	Курск (4712)77-13-04	Рязань (4912)46-61-64	Улан-Удэ (3012)59-97-51
Владикавказ (8672)28-90-48	Курган (3522)50-90-47	Самара (846)206-03-16	Уфа (347)229-48-12
Владимир (4922)49-43-18	Липецк (4742)52-20-81	Саранск (8342)22-96-24	Хабаровск (4212)92-98-04
Волгоград (844)278-03-48	Магнитогорск (3519)55-03-13	Санкт-Петербург (812)309-46-40	Чебоксары (8352)28-53-07
Вологда (8172)26-41-59	Москва (495)268-04-70	Саратов (845)249-38-78	Челябинск (351)202-03-61
Воронеж (473)204-51-73	Мурманск (8152)59-64-93	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Екатеринбург (343)384-55-89	Набережные Челны (8552)20-53-41	Симферополь (3652)67-13-56	Чита (3022)38-34-83
Иваново (4932)77-34-06	Нижний Новгород (831)429-08-12	Смоленск (4812)29-41-54	Якутск (4112)23-90-97
Ижевск (3412)26-03-58	Новокузнецк (3843)20-46-81	Сочи (862)225-72-31	Ярославль (4852)69-52-93
Иркутск (395)279-98-46	Ноябрьск (3496)41-32-12	Ставрополь (8652)20-65-13	
Казань (843)206-01-48	Новосибирск (383)227-86-73	Сургут (3462)77-98-35	
Россия +7(495)268-04-70	Киргизия +996(312)-96-26-47	Казахстан +7(7172)727-132	